



## Care, inspection, maintenance and repair

---

Your unit must be cleaned every day or when a request for cleaning appears to maintain the high quality of the stainless steel, for hygiene reasons and to avoid operating faults. To do this, follow the instructions in the "CareControl" section.



### **Warning!**

***If the unit is not cleaned or is not cleaned well enough, deposits of grease and/or food residues in the cooking cabinet may catch fire – risk of fire.***

- *To avoid corrosion in the cooking cabinet, your unit must be cleaned every day, even if it is only operated in "moist heat" (steaming) mode.*
- *Apply vegetable oil or grease to the inside of the cooking cabinet at regular intervals (every 2 weeks or so) to prevent corrosion.*
- *Do not use a high pressure cleaner to clean the unit .*
- *Do not treat the unit with acids or expose to acid fumes since this will damage the passivated coating of the nickel-chromium steel and the unit might discolour.*
- *Only use cleaning agents made by the unit manufacturer. Cleaning agents from other manufacturers may cause damage and invalidate the warranty.*
- *Do not use scouring products or scratchy cleaning agents.*
- *Daily cleaning of the cooking cabinet seal with a non-abrasive cleaning agent will extend the service life.*



## Care, inspection, maintenance and repair

---



### **Warning!**

*Servicing the incoming air filter. The device automatically recognises when the air filter is soiled. You receive a service message and a request to clean or replace the air filter when the air filter is soiled. The unit must not be operated without air filter. Please heed the following when replacing the air filter:*

**Unit size 6 x 1/1 GN, 6 x 2/1 GN, 10 x 1/1 GN and 10 x 2/1 GN**

*Air filter part number: 40.03.461*

*This air filter can be removed and cleaned by the user. During replacement the air filter must be locked carefully into the right position. Please follow the instructions in the "Maintenance" section on how to replace the air filter.*

**Unit size 20 x 1/1 GN and 20 x 2/1 GN**

*This air filter can only be replaced by an authorised service partner.*

**Warning!** *The device's water jet protection is only guaranteed with the filter and cover completely mounted.*



## Care, inspection, maintenance and repair

---

### Inspection, maintenance and repair



#### **Danger – high voltage**

- *Inspection, maintenance and repair work may only be carried out by trained technicians.*
- *The unit must be switched off at the mains on-site when cleaning (except CleanJet® +care cleaning), carrying out inspection, maintenance or repair work.*
- *If the appliance is installed on casters (mobile versions) freedom of movement of the appliance must be restricted so that energy, water and drainage pipes cannot be damaged when the unit is moved. If the unit is removed, make sure that power, water and drainage lines are correctly disconnected. If the unit is returned to its original position, make sure that the retention device, energy, water and drainage pipes are correctly connected.*
- *Your unit should be serviced at least once a year by an authorised service partner to guarantee its perfect technical condition.*